

# MobiLift®

**BX & BXB MOBILE LIFT TABLES**



Bishamon MobiLift™ scissor lift tables are rugged industrial lift tables with push-bars and casters. BX Series lift tables provide improved ergonomics by placing the load at a convenient work height while providing the mobility to locate the lift where it is needed.

MobiLift™ tables are available in various capacities and travels to satisfy a wide variety of applications. The manual foot-pump models have an integrated hydraulic pump/cylinder assembly while a 24-volt DC power unit provides the lifting power on electric battery powered models.

The MobiLift™ scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and maneuverability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.

The MobiLift™ design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, MobiLifts increase productivity and decrease workplace injuries.

MobiLift™ tables are used in a wide variety of applications. From stocking shelves in retail stores to lifting and moving materials in libraries, nurseries, machine shops and manufacturing operations, MobiLifts improve productivity.

## **Bishamon**

Bishamon Industries Corporation

5651 East Francis Street  
Ontario, California 91761-3601

(909) 390-0055 • (800) 358-8833  
Fax (909) 390-0060

[www.bishamon.com](http://www.bishamon.com)

**Warranty** - Bishamon Industries Corp. ("Bishamon") warrants its products to be free from defects in material and workmanship for a period of one (1) year from the date of initial shipment. This warranty shall not apply to any misuse, mishandling, accident, shipping, alteration, or unauthorized repair of any Bishamon product or part. For complete details of warranty, please contact Bishamon at 800-358-8833.




# MobiLift®

## BX & BXB MOBILE LIFT TABLES

Working Harder To  
Make Your Life Easier

### MobiLift BX & BXB (battery / charger not shown)



### Selector Table for BX Series Mobile Lift Tables

Model	Travel (in)	Capacity* (lb)	Platform Height (in)		Platform Size (in)		Overall Size (in)			Strokes Or Lift Speed To Max. Ht.	Shipping Weight (lb)
			Min. (A)	Max. (B)	Width (C)	Length (D)	Width (E)	Length (F)	Height (G)		
BX-15	20.4	330	8.4	28.8	17.7	27.6	17.7	33.6	31.3	15	75
BX-25	22.7	660	11.3	34.1	19.7	32.0	19.7	39.7	35.3	25	200
BX-50	22.1	1100	17.2	39.3	20.4	39.8	20.5	46.9	37.8	50	300
BX-75	22.1	1760	17.2	39.3	20.4	39.8	20.5	49.5	37.8	67	300
<b>Double Scissor Models</b>											
BX-30S	45.1	660	17.0	62.1	20.4	39.8	20.5	49.5	37.8	64	340
BX-50S	23.0	1100	16.5	39.5	18.1	25.6	18.1	37.2	37.0	66	275
BX-50W	45.1	1100	17.0	62.1	20.4	39.8	20.5	49.5	37.8	90	380
<b>Stainless Steel Models</b>											
BXS-10	20.4	220	8.4	28.8	17.7	27.6	17.7	33.6	31.3	15	75
BXS-20	22.7	440	11.3	34.1	19.7	32.0	19.7	39.7	35.3	25	200
<b>Battery Operated Models</b>											
BX-30B	23.5	660	11.5	35.0	19.7	32.1	19.7	41.7	34.6	10 Sec.	280
BX-50B	23.1	1100	17.2	40.4	20.5	39.8	20.4	50.0	37.4	10 Sec.	390
BX-80B	21.1	1760	17.2	38.4	20.5	39.8	20.5	49.4	37.4	12 Sec.	400
<b>Double Scissors Battery Operated Models</b>											
BX-15WB	39.0	330	15.2	54.1	19.7	32.1	19.7	39.7	35.4	10 Sec.	330
BX-30SB	46.3	660	17.5	63.8	20.5	39.8	20.4	50.0	37.4	12 Sec.	450
BX-50WB	46.1	1100	17.1	63.2	20.5	39.8	20.4	50.0	37.4	17 Sec.	490

### Standard Features - All Models

- Heavy-duty construction with captured scissor rollers for maximum stability
- High quality casters and wheels for exceptional rollability
- Foot actuated caster brake
- Heavy duty maintenance scissor lock pin
- Durable powder coated finish

### Standard Features - Manual

- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- Ergonomic push handle with convenient lowering control
- Lowering control automatically stops when released for added safety

### Standard Features - Electric Models

- Removable push-button control on cord with convenient handle mount
- Ergonomic handle with integrated safety mesh
- Easily accessible On/Off switch with integrated circuit breaker
- Enclosed automatic charger with removable power cord
- Green-Yellow-Red indicator lights provide quick indication of battery charge
- Easily accessible, adjustable lowering speed control
- Upper travel limit switch



Convenient Hand-Lever Lowering Control For Model BX



Removable Pendant Push-Button Control in Handle Mount (BXB)



Dual-Action Caster Brake Locks Wheel and Swivel

### DISTRIBUTED BY:



Bishamon Industries Corporation

5651 East Francis Street  
Ontario, California 91761-3601  
(909) 390-0055 • (800) 358-8833  
Fax (909) 390-0060

[www.bishamon.com](http://www.bishamon.com)



# ESX MobiLeveler®

*The Bishamon ESX MobiLeveler®  
Provides the Ergonomic Advantage  
of Self-Leveling Operation and the  
Convenience of Mobility*



Learn More at: [bishamon.com](http://bishamon.com)


Experience Industry's  
"Best Engineered"  
Ergonomic Equipment

**Working Harder To Make Your Job Easier**

## MobiLeveler® Selector Chart

Model	Travel (in)	Collapsed Cap. Range (lbs)		Height (in)		Table Sizes (in)		Overall Size (in)			Shipping Weight (lbs)
		Min.	Max.	Min.(A)	Max.(G)	Width (C)	Length (D)	Width(E)	Length(F)	Height(B)	
ESX-10	15.8	66	220	10.4	26.2	17.8	27.6	17.8	33.3	31.3	90
ESX-21	16.6	175	460	13.8	30.4	19.8	32.3	19.8	40.0	35.5	170
ESX-40	16.6	220	880	14.5	31.1	20.5	39.8	20.5	48.5	35.5	280

### MobiLeveler® ESX



### Standard Features


- Self-leveling, load weight compensating
- Easily accessible gauged weight-selector knob
- Single and dual spring models
- Heavy-duty maintenance, scissor locking pin
- High quality casters with brake
- Steel work platforms
- Rugged construction, with heavy-gauge steel and sturdy welds throughout
- Clean design with minimum maintenance required
- Durable powder-coated finish



High-quality casters with locking brake for smooth transport



Convenient gauged weight selector knob for adjusting spring resistance



Heavy-duty locking pin prevents the unit from lowering for maintenance

#### Warranty :

Bishamon Industries Corporation warrants its products to be free from defects in material and workmanship for a period of one (1) year from the date of initial shipment. This warranty shall not apply to any misuse, mishandling, accident, shipping, alteration, or unauthorized repair of any Bishamon product or part. For complete details of warranty, please contact Bishamon at: 800-358-8833.

#### DISTRIBUTED BY:



#### Bishamon Industries Corporation

5651 East Francis Street  
Ontario, California 91761-3601

Ph: 800-358-8833 US & Canada  
909-390-0055 Outside US/CN  
Fax: 800-700-0492

[www.bishamon.com](http://www.bishamon.com)

# SKID LIFT™

LV & LVE SKID LIFTS

# Bishamon



LV SERIES



Accessory tables mount on top of the forks.



Forks lower to 3.3 in. for optimal clearance under skids.



Locking foot brake is standard.



Twin heavy duty lifting chains provide a 2:1 lifting ratio for shorter lift stroke and reduced cylinder wear.



LVE SERIES

Bishamon skid lifts are rugged high-rise, fork style lifts that provide improved ergonomics and a functional ease of access for your workforce. By raising the top of the load to a convenient working height and providing easy mobility, skid lifts improve material handling productivity, increase efficiency and reduce potential worker injury - adding profit to your bottom line.

LV series skid lifts are available in eight models that include both wide and narrow fork widths and capacities to 2,200 lbs. Manual models have an integrated foot pump while a 12-volt DC power unit provides the lifting power on electric models. All models have variable raise and lower controls that allow the forks to be accurately positioned anywhere between the lower and upper travel limits. These versatile lifts have a dual functionality - not only do they lift and lower skids (open bottom, euro style pallets), the mobility feature allows the skids to be moved in and out of the work cell.

LV skid lifts are simple to operate, rugged and versatile and like all Bishamon products they are better by design. Twin heavy-duty lifting chains and a complete structural frame with captured rollers ensures superior stability and a lift that is capable of meeting today's demanding applications. Not only are they built SMART, they are built Bishamon TOUGH - for years of trouble free operation.

## Bishamon

Bishamon Industries Corporation

5651 East Francis Street

Ontario, California 91761-3601

(909) 390-0055 • (800) 358-8833

Fax (909) 390-0060


[www.bishamon.com](http://www.bishamon.com)

**Warranty** - Bishamon Industries Corp. ("Bishamon") warrants its products to be free from defects in material and workmanship for a period of one (1) year from the date of initial shipment. This warranty shall not apply to any misuse, mishandling, accident, shipping, alteration, or unauthorized repair of any Bishamon product or part. For complete details of warranty, please contact Bishamon at 800-358-8833.


# SKID LIFT

LV & LVE SKID LIFTS


Working Harder To  
Make Your Life Easier




LV-10 / LV-10W




LV-100 / LV-100W



LV-50E / LV-50WE



LV-100E / LV-100WE



## Standard Features

- Easily accessible hand controls
- Heavy gauge steel and sturdy welds throughout
- Steel lifting forks
- Twin heavy duty lifting chains with a 2-to-1 lifting
- Lower captured roller channel provides increased stability
- 180 degree rotating steering handle on LV-100 models
- Polyurethane wheels with quality bearings
- Superior hydraulic systems proven on a range of Bishamon lift products
- Quality baked enamel finish
- Optional table top accessory converts skid lift to a mobile lift table / work station

## Additional Features on LVE Models

- Easily accessible up/down lever hand control
- Automatic battery charger
- 12 volt, deep cycle battery

Selector Table for LV Series

Model	Travel (inches)	Capacity (lbs.)	Overall Fork Dimensions (in.)		Fork Height (in.)		Strokes or Lift Time (sec)	Shipping Weight (lbs.)
			Width (OD)	Length	Lowered	Raised		
<i>Manual Foot Pedal Pump Operated Models</i>								
LV-10	29.5	1,000	20.5	42.5	3.3	32.8	50	300
LV-10W	29.5	1,000	27.0	42.5	3.3	32.8	50	325
LV-100	29.5	2,200	20.5	42.5	3.3	32.8	48	350
LV-100W	29.5	2,200	27.0	42.5	3.3	32.8	48	375
<i>Battery Operated Models</i>								
LVE-50E	29.5	1,100	20.5	42.5	3.3	32.8	7	340
LVE-50WE	29.5	1,100	27.0	42.5	3.3	32.8	7	370
LVE-100E	29.5	2,200	20.5	42.5	3.3	32.8	7	440
LVE-100WE	29.5	2,200	27.0	42.5	3.3	32.8	7	460

Note: Specify DC for 12v DC power unit with charger and battery or AC for 115v AC power unit.

## DISTRIBUTED BY:

Bishamon Industries Corporation

5651 East Francis Street  
Ontario, California 91761-3601

(909) 390-0055 • (800) 358-8833  
Fax (909) 390-0060

[www.bishamon.com](http://www.bishamon.com)