

Trucks & Carts | PLATFORM TRUCKS



Smooth deck with black thermoplastic tread casters.



Optional Corner Bumpers



Treadplate deck with red polyurethane tread casters.

Extra Handles

Fits Deck Width	Stock Number
24"	7102001-S
30"	7102002-S
36"	7102003-S

MAGLINER® Lightweight Aluminum Trucks

- 2700–3200-lb. capacities
- Aluminum deck
- Multiple deck heights available

Non-corrosive, lightweight reinforced box-frame construction for strength and durability. Heavy-duty deck is bolted to supportive girders. Rounded deck corners. Extruded pipe pockets are located on each end of the deck. Removable 26½" high crossbar handle. Made in USA. *IN STOCK.*

Deck LxW	8" BLACK THERMOPLASTIC RUBBER TREAD ON POLYOLEFIN CORE			8" RED POLYURETHANE TREAD ON POLYOLEFIN CORE			6" PHENOLIC CASTERS		
	Cap. Lbs.	Deck Height	Stock Number	Cap. Lbs.	Deck Height	Stock Number	Cap. Lbs.	Deck Height	Stock Number
THREADPLATE DECK									
36x24"	2700	12"	6092201-V	3200	12"	6092202-V	3000	10"	6092203-V
48x24"	2700	12"	6092401-V	3200	12"	6092402-V	3000	10"	6092403-V
60x30"	2700	12"	6092801-V	3200	12"	6092802-V	3000	10"	6092803-V
72x36"	2700	12"	6093001-V	3200	12"	6093002-V	3000	10"	6093003-V
SMOOTH DECK									
36x24"	2700	12"	6092101-V	3200	12"	6092102-V	3000	10"	6092103-V
48x24"	2700	12"	6092301-V	3200	12"	6092302-V	3000	10"	6092303-V
60x30"	2700	12"	6092701-V	3200	12"	6092702-V	3000	10"	6092703-V
72x36"	2700	12"	6092901-V	3200	12"	6092902-V	3000	10"	6092903-V

3701400-V Corner Bumpers. Non-marking, metal-reinforced gray rubber. Pkg. of 4.



Shown with 6" phenolic wheels



8" mold-on rubber



Economical Aluminum Platform Trucks

- 2000-lb. capacity
- Treadplate aluminum deck
- Multiple deck heights available

Includes non-marking corner bumpers on contact end to protect walls, doorways, etc. Non-corrosive design. Removable handle. *IN STOCK.*

Deck LxW	6" PHENOLIC CASTERS		8" MOLD-ON RUBBER CASTERS	
	Deck Ht.	Stock Number	Deck Ht.	Stock Number
36x24"	9½"	5879701-V	11"	5879702-V
48x24"	9½"	5879801-V	11"	5879802-V



Economic Steel Platform Trucks

- 1600- and 2500-lb. capacities
- 14-gauge steel deck
- 7" or 9" deck height

Removable push handle can be placed on either end. Rolls on polyolefin casters—2 swivel, 2 rigid. Powder coat paint finish. Made in Canada. *IN STOCK.*

Deck LxW	Cap. Lbs.	Deck Ht.	Wheel Height	Stock No.
48x24"	900	7"	6"	6088500-U
54x27"	1200	7"	6"	6088600-U
60x30"	1200	9"	8"	6088700-U



Floor Lock

6" mold-on rubber caster



9" pneumatic caster

10" solid rubber puncture-proof caster

48x24" Platform Truck with Brakes

8" non-marking polyurethane.



Fully Assembled Steel Platform Trucks

- 1200–3600-lb. capacities
- 12-gauge steel deck
- Multiple deck heights available

All-welded reinforced deck has 1 1/2" dia. removable pipe handle with cross braces. Two rigid, two swivel casters. Choose either a platform truck with brakes or one with a floor lock that keeps truck in place during loading or unloading. Durable powder coat finish. Made in USA. *FACTORY QUICK SHIP.*

Platform Trucks with Wheel Brakes


Deck LxW	9" PNEUMATIC CASTERS			10" SOLID RUBBER CASTERS			6" MOLD-ON RUBBER CASTERS			8" POLYURETHANE CASTERS		
	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number
36x24"	13"	1200	6095101-S	13 1/4"	1500	6095104-S	9"	2000	6095106-S	11"	3600	6095109-S
48x24"	13"	1200	7015501-S	13 1/2"	1500	7015504-S	9"	2000	7015506-S	11"	3600	7015509-S
48x30"	13"	1200	6095201-S	13 1/2"	1500	6095204-S	9"	2000	6095206-S	11"	3600	6095209-S
60x30"	13"	1200	7015701-S	13 1/2"	1500	7015704-S	9"	2000	7015706-S	11"	3600	7015709-S
72x36"	13"	1200	7029201-S	13 1/2"	1500	7029204-S	9"	2000	7029206-S	11"	3600	7029209-S

Platform Trucks with Floor Locks

Deck LxW	9" PNEUMATIC CASTERS			10" RUBBER CASTERS			6" MOLD-ON RUBBER CASTERS			8" POLYURETHANE CASTERS		
	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number
36x24"	13"	1200	6095301-S	13 1/4"	1500	6095304-S	9"	2000	6095306-S	11"	3600	6095309-S
48x24"	13"	1200	7684001-S	13 1/2"	1500	7684004-S	9"	2000	7684006-S	11"	3600	7684009-S
48x30"	13"	1200	6095401-S	13 1/2"	1500	6095404-S	9"	2000	6095406-S	11"	3600	6095409-S
60x30"	13"	1200	7684101-S	13 1/2"	1500	7684104-S	9"	2000	7684106-S	11"	3600	7684109-S
72x36"	13"	1200	7684201-S	13 1/2"	1500	7684204-S	9"	2000	7684206-S	11"	3600	7684209-S

Ships same day for 1-3 day delivery

Ships 1-5 days



6" polyolefin casters 8" mold-on rubber casters



Shown with 8" solid rubber casters.



Shown with 8" polyurethane casters.



Steel Platform Trucks

- 1800–3600-lb. capacities
- 12-gauge steel deck
- Multiple deck heights available

All-welded for long-lasting performance. Base is formed on all sides with channel stiffeners welded underneath. Includes front corner bumpers to protect your walls from damage. 36"H, 1" dia. removable handle. Two swivel, 2 rigid bolted casters. Durable powder coat finish. Unassembled, just add casters. *IN STOCK.*

Deck LxW	6" POLYOLEFIN CASTERS			8" MOLD-ON RUBBER CASTERS			8" SOLID RUBBER CASTERS			8" POLYURETHANE CASTERS		
	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number	Deck Ht.	Cap. Lbs.	Stock Number
COLOR: BLUE												
36x24"	9 1/2"	3000	5896001-U	11 1/2"	2000	5896002-U	11 1/2"	1800	5896003-U	11 1/2"	3600	5896004-U
48x24"	9 1/2"	3000	5896101-U	11 1/2"	2000	5896102-U	11 1/2"	1800	5896103-U	11 1/2"	3600	5896104-U
48x30"	9 1/2"	3000	5896201-U	11 1/2"	2000	5896202-U	11 1/2"	1800	5896203-U	11 1/2"	3600	5896204-U
60x30"	9 1/2"	3000	5896301-U	11 1/2"	2000	5896302-U	11 1/2"	1800	5896303-U	11 1/2"	3600	5896304-U
72x36"	9 1/2"	3000	5896401-U	11 1/2"	2000	5896402-U	11 1/2"	1800	5896403-U	11 1/2"	3600	5896404-U
COLOR: GRAY												
36x24"	9 1/2"	3000	5896501-U	11 1/2"	2000	5896502-U	11 1/2"	1800	5896503-U	11 1/2"	3600	5896504-U
48x24"	9 1/2"	3000	5896601-U	11 1/2"	2000	5896602-U	11 1/2"	1800	5896603-U	11 1/2"	3600	5896604-U
48x30"	9 1/2"	3000	5896701-U	11 1/2"	2000	5896702-U	11 1/2"	1800	5896703-U	11 1/2"	3600	5896704-U
60x30"	9 1/2"	3000	5896801-U	11 1/2"	2000	5896802-U	11 1/2"	1800	5896803-U	11 1/2"	3600	5896804-U
72x36"	9 1/2"	3000	5896901-U	11 1/2"	2000	5896902-U	11 1/2"	1800	5896903-U	11 1/2"	3600	5896904-U



Premium Steel Platform Trucks

- 1100-lb. capacity
- Reinforced steel deck
- 11" deck height

Premium-quality and made in Japan, these durable platform trucks include a 10-year warranty. Galvanized steel deck resists rust and corrosion, and is supported by two reinforcement beams. Exclusive chrome plated ergonomic handle includes an anti-static rubber coating to increase user comfort, and an oversized end panel to prevent goods from sliding out. Plastic bumper strip surrounds the entire deck to prevent marks on walls. 7.9" mold-on rubber casters—2 rigid, 2 swivel. *IN STOCK.*

Deck LxW	Cap. Lbs.	Stock No.
47.2x29.5"	1100	5967900-S

Ships same day for 1–3 day delivery

Ships 1–5 days



Steel deck features two reinforcement beams on the underside.





Truck shown with optional pushbar handle.



Polyurethane casters feature brakes on the two swivels.



Sheet and Panel Trucks

- 1600- and 3600-lb. capacities
- Uprights are spaced 6" apart (24"W decks) or 8" apart (30"W decks)
- 27"H uprights

Uprights can be placed in any of four positions to accommodate different sized loads on each trip. 12-ga. reinforced steel deck. Maneuvers on two swivel, two rigid casters. Additional uprights sold separately. Made in USA. *SELECTED MODELS IN STOCK. Others FACTORY QUICK SHIP.*

Additional Uprights

- 7034200-S For 36"L Decks.
- 7033400-S For 48"L Decks.
- 7033500-S For 60"L Decks.


Optional Pushbar Handle

- 7048101-S Fits 24"W decks.
- 7048102-S Fits 30"W decks.

Deck LxW	Deck Ht.	6" POLYURETHANE		6" MOLD-ON RUBBER	
		Cap. Lbs.	Stock No.	Cap. Lbs.	Stock No.
36x24"	9"	3600	7028401-S	1600	7028402-S
48x24"	9"	3600	7033001-S	1600	7033002-S
60x24"	9"	3600	7033101-S	1600	7033102-S
48x30"	9"	3600	7033201-S	1600	7033202-S
60x30"	9"	3600	7033301-S	1600	7033302-S



Carpeted deck shown.



RUBBERMAID Convertible A-Frame Panel Truck available, call for information.



2 swivel, 2 rigid with floor lock



Panel Trucks

- 900-lb. capacity
- Uprights are spaced 11 1/2" apart
- 26" or 27 1/2"H uprights

Three U-shaped 1 1/16" dia. tube removable uprights. Four 4" hard rubber swivel casters are bolted to the 12-gauge steel frame. Available with or without carpet-padded deck. Ships partially unassembled via small package carrier. Made in USA. *IN STOCK.*

Description	Deck LxW	Deck Ht.	Upright Height	Stock Number
Steel Deck	31x28"	7"	27 1/2"	7178900-V
Carpeted Deck	31x28"	8"	26"	7180100-V



A-Frame Panel Trucks

- 2000-lb. capacity
- Uprights are spaced 12" apart at base
- 48"H uprights

12-gauge steel deck has a 1 1/2" retaining lip on each side. 6" phenolic casters. Made in USA. *SELECTED MODELS IN STOCK. Others FACTORY QUICK SHIP.*

Deck LxW	Deck Height	2 SWIVEL, 2 RIGID WITH FLOOR LOCK	
		SWIVEL Stock No.	2 SWIVEL, 2 RIGID WITH FLOOR LOCK Stock No.
36x24"	9 1/2"	7058801-S	7058803-U
48x24"	9 1/2"	7058901-S	7058903-U
48x30"	9 1/2"	7059001-S	7059003-U
60x24"	9 1/2"	7056201-S	7056203-U
60x30"	9 1/2"	7059101-S	7059103-U
72x36"	9 1/2"	7059201-S	7059203-U

Ships same day for 1-3 day delivery

Ships 1-5 days



Standard Hardwood Econoweight and Premium Oak Bantamweight Trucks

- 1200–2000-lb. capacities
- Hardwood or premium oak deck
- Multiple deck heights available

Choose the wood deck and casters for your job. (A) Econoweight deck is constructed of kiln-dried hardwood. (B) Bantamweight has a premium oak tongue and groove deck. Both decks are varnished and have screwed-in cross battens. Removable offset pipe handles. Green epoxy powder finish. Made in USA. **IN STOCK.**



8" Polyurethane Caster



A

Shown with 8" mold-on rubber casters.



B

Shown with 5" mold-on rubber casters.

Deck LxW	5" MOLD-ON RUBBER CASTERS			8" MOLD-ON RUBBER CASTERS			8" POLYURETHANE CASTERS		
	Deck Height	Cap. Lbs.	Stock Number	Deck Height	Cap. Lbs.	Stock Number	Deck Height	Cap. Lbs.	Stock Number
A. ECONOWEIGHT. Kiln-dried hardwood deck with open handle.									
48x24"	8 1/2"	1400	7173501-T	11 1/2"	2000	7173502-T	11"	3600	7173505-T
54x27"	8 1/2"	1400	7174601-T	11 1/2"	2000	7174602-T	11"	3600	7174605-T
60x30"	8 1/2"	1400	7176301-T	11 1/2"	2000	7176302-T	11"	3600	7176305-T
72x36"	8 1/2"	1400	7179601-T	11 1/2"	2000	7179602-T	11"	3600	7179605-T
B. BANTAMWEIGHT. Premium oak tongue and groove deck with 3-crossbar handle.									
48x24"	8 5/8"	1400	7136501-T	11 1/2"	2000	7136502-T	11"	3600	7136505-T
54x27"	8 5/8"	1400	7136601-T	11 1/2"	2000	7136602-T	11"	3600	7136605-T
60x30"	8 5/8"	1400	7136701-T	11 1/2"	2000	7136702-T	11"	3600	7136705-T
72x36"	8 5/8"	1400	7138101-T	11 1/2"	2000	7138102-T	11"	3600	7138105-T




Platform Trucks


- 1200–2600-lb. capacities
- Hardwood deck
- Multiple deck heights available

Four caster types are available for your specific application. Varnished, tongue-and-grooved deck is surrounded by a 2x2", 1/2" thick steel frame. Removable pipe handle with 3 cross braces. Two swivel, two rigid casters. Made in USA. *Specify casters: (01) 5" polyolefin, 2600-lb. cap.; (02) 6" gray non-marking, 2000-lb. cap.; (03) 8" mold-on rubber, 2000-lb. cap.; (04) 8" full pneumatic, 1200-lb. cap. IN STOCK.*


Choose from 4 caster types



01



02



03

(01) 5" polyolefin
 (02) 6" gray non-marking
 (03) 8" mold-on rubber
 (04) 8" full-pneumatic



04

Platform truck with (04) 8" full-pneumatic casters shown.

Deck LxW	Stock Number	(01) 5" POLYOLEFIN	(02) 6" GRAY NON-MARKING	(03) 8" MOLD-ON RUBBER	(04) 8" FULL-PNEUMATIC
		Deck Height	Deck Height	Deck Height	Deck Height
48x24"	71208-S	9"	10"	12"	11 1/4"
54x27"	71212-S	9"	10"	12"	11 1/4"
60x30"	71213-S	9"	10"	12"	11 1/4"
72x36"	71214-S	9"	10"	12"	11 1/4"




Premium Wood-Deck Platform Trucks


- 1200–2000-lb. capacities
- Premium wood deck
- Multiple deck heights available

Seamless, 3/4" thick layered deck has a rattle-free all-welded 1/2x1 1/2" angle iron base frame. Two swivel and two rigid casters. Non-marring lacquered finish. German Engineered. Made in USA. **IN STOCK.**


Choose from 3 caster types



A



B



C

A. 5" polyurethane casters.
 B. 8" mold-on rubber casters.
 C. 8" full-pneumatic casters.



Deck LxW	A. 5" POLYURETHANE CASTERS			B. 8" MOLD-ON RUBBER CASTERS			C. 8" PNEUMATIC CASTERS		
	Deck Height	Cap. Lbs.	Stock Number	Deck Height	Cap. Lbs.	Stock Number	Deck Height	Cap. Lbs.	Stock Number
48x24"	7 1/4"	2000	7039201-U	10 1/2"	2000	7039202-U	10 1/2"	1200	7039203-U
60x30"	7 1/4"	2000	7039301-U	10 1/2"	2000	7039302-U	10 1/2"	1200	7039303-U

Ships same day for 1–3 day delivery

Ships 1–5 days



Panel Truck

- 1000-lb. capacity
- 9 1/2" upright spacing
- 27"H uprights

Carpet covered wood rails on each end protect loads. All-welded angle-iron frame has 3 removable uprights. Four 5" non-marking polyurethane swivel casters. Blue and gray powder coat finish. Made in USA. *IN STOCK.*

Deck LxW	Deck Ht.	Wheel Height	Stock No.
33 1/2"x24"	7 1/2"	5"	7899800-S



350-Lb. Capacity Door or Panel Dolly

- 350-lb. capacity
- Accepts material up to 2 1/4" thick
- 4" polyurethane wheels

Auto-clamp feature grips flat material when it's added to the dolly. Steel construction. Painted blue finish. *IN STOCK.*

Cap. Lbs.	Stock No.
350	7675500-S



RAYMOND Table and Panel Movers

- 900- and 2000-lb. capacities
- Adjustable upright spacing
- 40"H uprights

Tubular steel platform with removable uprights. Non-mar, skid-resistant finish protects materials. Made in USA. *IN STOCK.*

Deck LxW	Deck Height	Cap. Lbs.	Wheel Height	Wheel Type	Stock Number
36x27"	9 1/2"	900	6"	Mold-on rubber—2 rigid, 2 swivel	7151700-T
36x27"	9 1/2"	900	6"	Mold-on rubber—4 swivel	7154500-T
36x27"	9 1/2"	2000	6"	Phenolic—2 rigid, 2 swivel	7154800-T
36x27"	9 1/2"	2000	6"	Phenolic—4 swivel	7154900-T



RAYMOND Heavy-Duty Panel Movers

- 3200-lb. capacity
- Adjustable upright spacing
- 26"H uprights

Moves the heaviest loads including plasterboard, building materials and office partitions. 12-gauge steel platform base with reinforced steel ribs. Platform features an anti-skid coating. Uprights include cross braces. Ships unassembled. Made in USA. *IN STOCK.*

Deck LxW	Deck Height	Wheel Height	Wheel Type	Stock Number
54x30"	11 1/2"	8"	Polyurethane—2 rigid, 2 swivel	7113400-T
54x30"	11 1/2"	8"	Polyurethane—4 swivel	7114600-T